Igis

DECLARATION OF PERFORMANCE No. D-11.4

1. Unique identification code of the product-type:

00031/302 Interior Wall Paint

2. Type, batch or serial number or any other element allowing identification of the construction product:

Matt wall paint Taktika 5. The year and day of manufacture is included.

3. Technical specification applicable to the construction product:

Company standard **IST 147203777-22:2019**

4. Intended use or uses of the construction product, in accordance with the applicable technical specification, as foreseen by the manufacturer:

Paint for interior walls and ceilings made of mineral construction materials (plaster, plasterboard, filled surfaces, wallpaper, brick masonry, concrete, etc.). Suitable for walls and ceilings in intensively operated residential and public premises that requires frequent cleaning - corridors, stairwells, kitchens, schools, medical, food companies, etc.

5. Name, registered trade name or registered trade mark and contact address of the manufacturer:

Sole Proprietorship of I. Krisciunas "IGIS", Tinklu str. 33-1, LT-35115 Panevezys, Lithuania

6. System or systems of assessment and verification of constancy of performance of the construction product for STR 1.01.04:2015 Regulation Section V:

System 2+

7. In case of the declaration of performance concerning a construction product covered by a:

Production control certificate Nr. SPSC-9397 issued by NB 1397 "Statybos produkcijos sertifikavimo centras".

8. Declared performance:

Essential characteristics	Performance	Technical Specification
Chemical emissions The Building		Emission measurements for the
Information Foundation RTS sr	M1 class	FINNISH classification of building
		materials
The loss of thickness of the coat	(F (alass 1)	EN ISO 11998-3
(after 200 scrubs), μm	<5 (class 1)	EN 13300+AC
Hiding power:	hiding power class 1,	
	with a spreading rate	EN ISO 6504-3 (A method)
	of 6 m²/l	
Volatile organic compound VOC,	<2,0 g/l	EN ISO 11890-2
g/l	2,0 g/t	21(100 110/0 2
Resistance to liquids:		EN ISO 2812-1 (A method)
5 % soda solution		LIV 150 2012 1 (A metriou)
1 % dodecyldimethylammonium	0 (S0) after 24 hours	
chloride	there are no changes	
1 % chloramin B	and the distriction of the light	EN ISO 4628-1
2 % chlor clean		EN ISO 4628-2
isopropyl alcohol		

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 5.

Signed for and on behalf of the manufacturer by:

Dorina Vosteriene Chemist technologist Sole Proprietorship of I. Krisciunas "IGIS" Tinklu str. 33-1, LT-35115 Panevezys, Lithuania 26-11-2021 AVosiunt -